## **TOSHIBA**



## CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

### Technology for every workplace; delivering advanced functionality, ease of use, and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information efficiently and safely to maximize your productivity.

Toshiba's latest series delivers on our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management, and content needs while helping you to meet your green objectives.

- > 20 & 25 PPM
- > Affordable, high-resolution color
- > High-volume black & white and color
- Advanced e-BRIDGE Next technology
- > Fast dual-core processor





#### Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

#### Color commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Add color to that and you have even more ways to make your documents impactful.


- > Up to 600 dpi x 1,200 dpi (PS3)
- > 256 gradations provide ultra-smooth transitions in photos and illustrations
- > Auto-calibration ensures consistency of color across small and large print jobs

#### Elevate streamlines complicated multi-step processes into automated, one-touch functions.

We know you have work to do and at Toshiba we've introduced a new concept designed to make your job easier and more productive by personalizing the MFP user interface around your specific business processes.

Elevate enables customized and automated workflow presenting the user with convenient one-touch functions addressing only the tasks they use most. This results in simple operation and improved efficiency leading to an overall cost savings. Let Toshiba Elevate your productivity.

Customize and automate workflows specifically around your business processes



by department to deliver the utmost efficiency

workflow and productivity

Clear away clutter and confusion on home screen by presenting only the tasks



# COMPACT SIZE, ALL-NEW LOOK, AND A POWERFUL PUNCH.

For small and medium businesses and workgroups that demand color along with a small footprint, Toshiba has answered the call. The e-STUDIO2510AC Series is packed with industry-leading technologies and innovations designed to help workgroups connect, integrate and simplify.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around a job that's held-up for a specific paper size, media type or even color toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Auto Skew Correction ensures your scanned documents using the document feeder are reproduced accurately.

Heavy-Media Duplex Support can also handle 16 lb bond to 90 lb index for heavy duty duplexing.

*Print-from USB* lets you print PDF and JPG files straight from your USB drive and the MFP will scale document to fit the available paper size if necessary.

e-BRIDGE Plus for USB Storage is great for capturing a file quickly when you're on the go.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Scan Preview allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.

Service Module Design significantly reduces the cost and time spent servicing the MFP.





## **TOSHIBA**

## CONVENIENCE AND SECURITY.

Small workgroups looking for quality color will appreciate that the e-STUDIO2510AC Series is easily integrated, customizable, and solutions ready, with Toshiba's Open Platform.

AirPrint® and Mopria® support address the printing needs of mobile device users, while Wi-Fi direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables users additional printing features and the ability to scan documents back to their tablets or smart phones.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

A variety of time-saving, function-adding plug-ins that enable productivity right in the driver. For instance:

- e-BRIDGE Job Point—quickly split up large jobs with up to 10 Toshiba MFPs
- e-BRIDGE Job Replicator—streamline the creation of multi-part forms and documents
- e-BRIDGE Job Separator—perform batch printing easily using any Windows® app
- e-BRIDGE Job Build—conveniently print different document types all together

Toshiba's new e-BRIDGE Plus apps, including e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online let users scan to and print from Microsoft's cloud-based services directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word,™ Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into popular Office™ formats as well.\*

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO2510AC Series MFP, e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive™, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.\*

#### **Industry-Leading Security**

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- Available FIPS 140-2 Validated SED meets and exceeds strict government requirements
- IPsec is available to securely encrypt data sent to and from the MFP

#### **Environmental Protection**

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use



<sup>\*</sup>Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

# FEATURES, BENEFITS, AND THE WOW FACTOR.

#### 1 Document Feeder Options

MR3031 Reversing Automatic Document Feeder (RADF)

KA5005PC Platen Cover

#### 2 Accessory Tray & Options

GR1330 Accessory Tray
GR9000 Bluetooth Keyboard
GR1340 10-Key Numeric Keypad

#### 3 Finishing Options

MJ1042 50-Sheet Inner Finisher

MJ1110 50-Sheet Saddle-Stitch Finisher

MJ5014 Job Separator

#### 4 Additional Paper Options

KD1058 Paper Feed Pedestal

KD1059LT 2,000-Sheet Large Capacity Feeder MY1048 Additional Drawer Module for PFP

MY1049 Envelope Cassette



#### Additional Option Highlights

- Multi-Station Print Enabler
- > Embedded OCR Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Hidden Card Reader Pocket

The Toshiba e-STUDIO2510AC Series can increase the efficiency of your workgroups, improve the professionalism of your presentations, and streamline the workflow of your organization. And, that's just for starters.

#### Touch and Swipe with Ease

An easy-to-use, tablet style 10.1" color touch screen panel works intuitively, helping you find instructions, functions, and commands with the swipe of the finger.

#### **Multi-Station Print Enabler**

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

#### A Clever Inside Pocket

We've put the Authentication Card Reader inside the machine for a cleaner look.

### **Envelopes—the Perfect Fit**

A special envelope cassette is available to hold up to 60 envelopes, making sure each one is fed and printed in the same place, every time.

#### **Volumes and Volumes**

A high monthly copy volume up to 84,000 pages. Toner yields are 33,600 CMY and 38,400 K pages (at 5%) respectively.

#### Advanced e-BRIDGE Next Technology

Built on Linux®, this latest e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, up to 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

### ©-STUDIO"2010AC/2510AC

#### Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/LED Printing/

Heat Roller Fusing

10.1" Color WSVGA Touch Screen Tilting Display Display

Copy Speed First Copy Out 20/25 PPM (LT) Color: 9.5/9.5 Seconds Monochrome: 7.1/7.1 Seconds

Warm-Up Time Approx. 21 Seconds Copy Resolution 600 x 600 dpi Stack Feed Bypass ST-R to LD, Envelope Up to 999 Copies Multiple Copying Standard 350 Sheets/Max. 2,900 Sheets Paper Capacity

Optional 100-Sheet RADF **Original Feed** 

RADF Scan: Up to 73 IPM (Monochrome or Color), Simplex: 9.3-41.8 lb Bond, Scan Speed & Weights

Duplex: 13.3-41.8 lb Bond Max. Original Size ΙD

Paper Feed Sizes

Drawer 1: 250 Sheets-ST-R to LD

Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to LD Opt. Paper Feed Unit: 550 Sheets-ST-R to LD Opt. 550-Sheet Paper Feed Pedestal-ST-R to LD Opt. 550-Sheet Drawer for PFP-ST-R to LD

Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-ST-R to LG

Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only Standard: 250 Sheets-16 lb Bond-90 lb Index Paper Weights

Stack Feed Bypass: 100 Sheets-16 lb Bond-110 lb Index Opt. Paper Feed Unit: 550 Sheets-16 lb Bond-90 lb Index Opt. 550-Sheet Paper Feed Pedestal: 16 lb Bond-90 lb Index Opt. 550-Sheet Drawer for PFP: 16 lb Bond-90 lb Index Opt. Envelope Cassette for PFP: 16 lb Bond-90 lb Index Opt. 2,000-Sheet Tandem LCF (Pedestal Type): 17-28 lb Bond Standard Automatic Duplex Unit: 16 lb Bond-90 lb Index

Reproduction Ratio 25% to 400%

Duplex

Max Duty Cycle Max. 67.2K Month (e-STUDIO 2010AC) Max. 84K Month (e-STUDIO 2510AC)

Approx. 126 lb Weight

Approx. Dimensions 22.6" (W) x 23" (D) x31" (H) CMY: 33.6K, BK: 38.4K @ 5% 120 Volts, 50/60 Hz, 12 Amps **CMYK Toner Yield Power Source** Maximum 1.5kW (120V) **Power Consumption** Intel Atom™ 1.33GHz (Dual-Core) Memory 2GB Max 4GB

Hard Disk Drive 320GB Self-Encrypting Drive

#### e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG 20/25 Pages Per Minute (LT) 600 x 600 dpi (5 bit) 600 x 1,200 dpi (1 bit) PS3 Only **Print Speed Print Resolution** 

Operating Systems Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8.1,10, Windows

Server® 2012/R2, Windows Server® 2016, Macintosh® (macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux® TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments,

**Network Protocols** EtherTalk for Macintosh® Environments

**Printing Protocols** 

SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 **Print Drivers** 

SP1 (64-bit), Windows® 7 SP1 (32-bit,64-bit), Windows® 8.1 (32-bit,64-bit), Windows® 8.1 (32-bit,64-bit), Windows® 10 (32-bit,64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed), Optional

Interface 802.11b/g/n, Wireless LAN, Optional Bluetooth AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android

Wireless Device

(Available via Apple® App Store or Google Play)

**Device Management** TopAccess, EFMS 6.30 (e-BRIDGE Fleet Management Software)

Account Control Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function **Accessibility Features** Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen

Timeout and Audible Beep Message Alerts













**Security Features** 

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)\* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card

Authentication, NFC Authentication
\*Conformance with HCD-PPv1.0 in High Security Mode.

ENERGY STAR® (V2.0), EPEAT Gold Environmental Stds.

Certification WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®,

SAP, AirPrint® and Mopria®

#### Scan Specifications

Scan Speed RADF Scan: Up to 73 IPM (Monochrome or Color) Scan Modes Standard: Full Color, Auto Color, Monochrome, Grayscale Scan Resolution 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable **File Formats** 

PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.),

XLSX (Opt.), PPTX (Opt.)

**Image Compression** Color/Grayscale: JPEG (High, Middle, Low)

#### Facsimile Specifications

Compatibility Super G3

MH/MR/MMR/JBIG **Data Compression Transmission Speed** Approx. 3 Seconds Per Page Fax Modem Speed Up to 33.6 Kbps

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations /Job

Scan Speed 0.7 Seconds Per Page, Maximum 73 IPM

#### e-Filing Specifications

**Operation Method** Color Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes **Capacity of Boxes** 

100 Folders Per Box, 400 Documents Per Folder/Box,

200 Pages Per Document

KA5005PC

#### Accessories (Options)

#### **Platen & Document Feeder Options** MR3031 RADE

**Additional Paper Options** KD1058 Paper Feed Pedestal Paper Feed Unit MY1047 Drawer Module MY1048 Envelope Cassette Option MY1049 Large Capacity Feeder KD1059LT

**Finishing Options** 

Platen Cover

Inner Finisher MJ1042 Saddle-Stitch Finisher MJ1110 Hole Punch Unit (For MJ1042) MJ6011 MJ6105 Hole Punch Unit (For MJ1110) Bridae Kit KN5005 Job Separator MJ5014

Connectivity/Security Options

FAX Unit/2nd Line for FAX Unit GD1370N Wireless LAN/Bluetooth GN4020 Bluetooth Keyboard GR9000 GR1330 Accessory Tray Panel 10-Key Option GR1340 Card Reader Holder GR1320 4GB Memory Option FIPS HDD GC1410 GE1230 Meta Scan Enabler GS1010 IPsec Enabler GP1080 Unicode Font Enabler GS1007 Embedded OCR Enabler Per Seat License GS1080 Multi-Station Print Enabler GS1090 Per Seat License USB Hub Option GR1310 SharePoint® Connector GB1440 Exchange Connector Google Docs™ Connector GB1450 GB1540 External Interface Enabler GS1020 Monotype Font Option GB2050

Miscellaneous Options

STAND5005 Stand Accessible Arm KK2550 KK5005 Work Trav Manual Pocket KK5008 Harness Kit for Coin Controller GQ1280

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Tone yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries

**Corporate Office** 

**East Coast** 

South

West Coast

Web Site

959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-316-2700 Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

25530 Commercentre Drive, Lake Forest, CA 92630

Tel: 773-380-6000 2037 Bakers Mill Rd., Dacula, GA 30019

Tel: 678-546-9385 25530 Commercentre Drive, Lake Forest, CA 92630

Tel: 949-462-6000 www.business.toshiba.com